

1.0/4.8 AF

Video Cable 75 Ω



Application

Video cables are primarily used in closed circuit TV systems and in several studio applications for transmission of image signals.

Standards

For analogue and digital video signals (Composite, Component, SDI, SDV, SDTI, HDTV)

Flame resistance

PVC: IEC 60332-1
FRNC: IEC 60332-1; IEC 60754-2; IEC 61034
FRNC-C: additionally IEC 60332-3 C

Construction

Inner conductor	solid copper wire, bare, diameter 1.0 mm	
Insulation	Foam-PE, diameter 4.8 mm	
Outer conductor	Al-PET-Al-foil under tinned copper braid, diameter 5.6 mm	
Sheath	FRNC, PVC, PUR diameter 7.0 mm green, RAL 6018, blue, RAL 5015	
Printing	for FRNC: DRAKA COMTEQ - 1.0/4.8 AF - 75 Ω ± 1% - HDTV FRNC for PVC: DRAKA COMTEQ - 1.0/4.8 AF - 75 Ω ± 1% - HDTV for PUR: DRAKA COMTEQ - 1.0/4.8 AF - 75 Ω ± 1% - HDTV PUR	

Electrical properties

at 20°C

DC resistance	Inner conductor	22 Ω/km
	Outer conductor	7 Ω/km
Mutual capacitance		56 pF/m
Characteristic impedance		75 Ω ± 0.75 Ω
Velocity ratio		78 %
Screening factor		≥ 100 dB

1.0/4.8 AF

Electrical data

at 20°C

Attenuation (dB/100m)		Return loss (dB)	
Frequency (MHz)		Frequency (MHz)	
1	0.8	50 – 300	≥ 26
3	1.3	300 – 3000	≥ 22
5	1.6	3000 – 3500	≥ 18
10	2.1	3500 – 5000	≥ 15
30	3.5		
100	6.2		
200	8.9		
300	11.3		
500	14.8		
800	18.5		
1000	20.7		
1500	24.9		
2250	31.7		
3000	37.3		
3500	41.5		
4000	47.2		
4500	51.2		
5000	55.1		

Technical data

Product code	Type	Weight kg/km	Standard delivery length m	Drum size KTG/ring	Copper content	Tensile force N	Bending radius mm	Storage
1002208 CT2850401	1.0/4.8 AF FRNC-C green	69	1000	071	35	140	45	inside
1002209 CT2850402	1.0/4.8 AF FRNC-C green	69	1000	071	35	140	45	inside
1002210 CT2850405	1.0/4.8 AF FRNC-C green	69	1000	071	35	140	45	inside
1002198 CT2758300	1.0/4.8 AF PVC green	69	1000	071	35	140	45	inside
1002199 CT2758301	1.0/4.8 AF PVC blue	69	1000	071	35	140	45	inside
1002464 CT2761002	1.0/4.8 AF PUR blue	69	1000	071	35	140	45	inside

1.0/4.8 AF

Product Code Table

Product Description	Product Code	PG Reference Code	PG Part Number
DR 1.0/4.8AF FRNC-C green HDTV		60009601	60009601
DR 1.0/4.8AF FRNC-C violet HDTV		60009613	60009613
DR 1.0/4.8AF FRNC-C violet HDTV 1000DW	1012437-01000DW	60009613	60011557
DR 1.0/4.8AF FRNC-C blue HDTV		60011558	60011558
DR 1.0/4.8AF PUR green		60014197	60014197
DR 1.0/4.8AF PUR green 1000DW	1013526-01000DW	60014197	60014199
DR 1.0/4.8AF PUR blue		60014201	60014201
DR 1.0/4.8AF FRNC-C green HDTV 500DW	1002208-00500DW	60009601	60014472
DR 1.0/4.8AF FRNC-C green HDTV 1000DW	1002208-01000DW	60009601	60014473
DR 1.0/4.8AF FRNC-C violet HDTV 500DW	1012437-00500DW	60009613	60014483
DR 1.0/4.8 AF GN 75 OHM HDTV		60015161	60015161
DR 1.0/4.8 AF GN 75 OHM HDTV 1000DW	1002198-01000DW	60015161	60015162
DR 1.0/4.8 AF PVC BL 75 OHM HDTV		60015163	60015163

KOAX24
 KABELKONFEKTION

www.koax24.de

Bestellinfos / Order Information

050213

© PRYSMIAN GROUP 2007, All Rights Reserved

All sizes and values without tolerances are reference values. Specifications are for product as supplied by Prysmian Group: any modification or alteration afterwards of product may give different result.

The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the written consent of Prysmian Group. The information is believed to be correct at the time of issue. Prysmian Group reserves the right to amend this specification without prior notice. This specification is not contractually valid unless specifically authorised by Prysmian Group.